

Monthly Assessment Report on Minor Works Project
 小型工程項目每月評估報告

Name of School / Organization 學校/機構名稱: 靈糧堂怡文中學
 Project Number 項目編號: MW0052
 Project Name 項目名稱: Roof-top Greenland
 Items 工程: (*Please delete as appropriate) 1. Greening 綠化: (*Green Roof 綠化天台 + Green Wall 綠化牆 + Green Podium 綠化平台)
 Month of Assessment 評估月份 (mm/yy): May, 2012

A. Table 1: Please Fill in Educational Activities Organized with number of participants **(Must be filled in)**

表一: 請填寫該月所舉行之教育活動及參與人數(必須填寫)

Date 日期dd/mm/yy	Name of Education 活動名稱	Number of Participants 參與人數	Volunteers training? 義工培訓活動?	Any notice / poster 有張貼通告/海報宣傳	Media coverage? Details. 有媒體報導嗎?
18th, 24th, 26th, 30	綠化天台溫度比較	4-5	有	無	無

B. Comparison of temperature at different locations of a green roof:

綠化天台溫度比較:

	1	2	3	4	5	6
Date & Time of Measurement** 量度日期及時間**	Temperature on the vegetated layer 於植物層上的溫度	Temperature on the roof ground <u>without</u> vegetation covered 於天台地面上(未有被植物覆蓋)	Temperature at the ceiling underneath the vegetation layer 於植物層以下樓層的天花板	Temperature at the ceiling underneath <u>without</u> vegetation layer covered 於天台對下樓層(但未有被植物層遮掩)的天台板	Room Temperature underneath with vegetation layer covered 於植物層對下樓層的室溫	Room Temperature underneath <u>without</u> vegetation layer covered 於天台對下樓層(但未有被植物層遮掩)的室溫
8th May, 2012--12:30pm	30°C	50°C	24°C	30°C	17.5°C	22°C
14th May, 2012--12:30pm	41°C	49°C	24°C	27°C	16.5°C	22°C
23rd May, 2012--12:30pm	36°C	45.5°C	20.5°C	21.5°C	19°C	22°C
30th May, 2012	34°C	46°C	24°C	27°C	22°C	24°C

**Please take at least four days' readings and try to take the temperature at the same time slot in different days.

**每月需量度最少4天的溫度，而每次量度溫度請儘量於同一時段。

Person-in-charge 負責人: 馮偉泉
 Contact Number 聯絡電話: 21094000/94210838
 Fax 傳真: 21094066
 Date 日期: 31-5-2012